SFHCHEM4 Assist with the administration of intrathecal anticancer therapy



Overview

This standard covers assisting with the administration of anti-cancer therapy intrathecally to adults and children. It includes checking the treatment drugs against the prescription and patient information, assisting with the delivery of treatment and the education of the patient and/or carer with regard to side effects and lifestyle. This standard applies to each administration episode. Users of this standard must be registered on the relevant intrathecal register.

Users of this standard will need to ensure that practice reflects up to date information and policies.

Assist with the administration of intrathecal anti-cancer therapy

Performance criteria

You must be able to:

- P1 ensure the treatment room is a designated treatment area in line with national and local guidelines for this procedure
- P2 check the environment and equipment to ensure that everything is properly prepared for the procedure, including the availability of emergency kits
- P3 ensure that the appropriate consent procedure has been completed
- P4 ensure that the required personnel are present for the procedure in line with national guidelines
- P5 ensure that you and the required personnel are on the intrathecal register before you proceed
- P6 read the patient's notes, prescription and relevant regimen protocol and identify any special instructions, investigations including abnormal blood test results, or issues for which you need to seek advice
- P7 provide evidence for pharmacy personnel that the pre-requisite, prescribed intravenous drugs have already been administered in the correct sequence as directed by national guidelines
- P8 greet and accurately identify the patient
- P9 introduce yourself and any colleagues involved in the procedure to the patient and/or carer
- P10 check the intrathecal treatment drugs in accordance with intrathecal anticancer therapy guidelines (with an appropriate second checker who is on the register and the patient or nominated other) against the treatment plan, protocol, regimen, prescription and patient information with regard to the following (and take action if any of the following are abnormal):
 - P10.1 patient's identification on prescription and on labelled drugs
 - P10.2 critical test results including blood results
 - P10.3 regimen and individual drug identification
 - P10.4 names of drugs
 - P10.5 the drugs' fitness for administration (assessed by expiry date/time, appearance and correct storage condition)
 - P10.6 diluents and dilution volumes
 - P10.7 individual dose
 - P10.8 administration route
 - P10.9 cycle number
 - P10.10 the administration as per the schedule within the cycle

Assist with the administration of intrathecal anti-cancer therapy

P11	assist with the administration of the procedure according to local
	guidelines, local control of infection and COSHH guidelines

- P12 ensure that supportive drugs have been given as per the prescription and patient need
- P13 undertake a final check of the treatment drugs against the prescription and the patient's identity before administration
- P14 position the patient correctly for the procedure, respecting their dignity and ensuring their comfort within the constraints of the procedure
- P15 during the treatment monitor the patient for indications of discomfort or any allergic or hypersensitive reactions and act appropriately
- P16 maintain communications with the patient and/or carer during the procedure and respond to any questions
- P17 assess the patient's condition, both physical and emotional, at the conclusion of the treatment and take appropriate action
- P18 continue to monitor the patient's physical state and position the patient appropriately for the required period post-treatment and decide when they are fit to leave the treatment area, according to local guidelines
- P19 remind the patient and/or carer of the information and advice they have already been given with regard to lifestyle and side effects and respond to any questions or requests for information
- P20 confirm the details of the next appointment and any prior investigations or tests with the patient and/or carer, if appropriate
- P21 provide information on how to obtain help at any time
- P22 ensure the patient and/or carer has all medication to take home and understands how to handle, take and store them
- P23 recognise when you need help and/or advice and seek this from appropriate sources
- P24 ensure patient and/or carer is aware of any post intrathecal information and potential side effects.

Assist with the administration of intrathecal anti-cancer therapy

Knowledge and understanding

You need to know and			
understand:	K1	national, regi	onal and local guidelines for:
		K1.1	anti-cancer therapy, the selection of appropriate treatment and intended outcomes
		K1.2	the administration of intrathecal anti-cancer therapy and lumbar puncture procedure
		K1.3	consent to anti-cancer therapy, including clinical trials
		K1.4	the safe handling, storage and administration of anti- cancer therapy drugs and equipment
		K1.5	medicines management
	K2	•	elines for the Control of Substances Hazardous to Health cluding spillage and their application in anti-cancer therapy
	K3	local guidelin	es for :
		K3.1	infection control and their application in anti-cancer therapy for the appropriate regimen
		K3.2	waste and sharps handling and disposal
		K3.3	patient records, their storage and confidentiality of information
		K3.4	risk management and adverse incidents
	K4	the symptom	s associated with malignant disease and its progression
	K5	the medical to	erminology relevant to the treatment
	K6	the signs and	symptoms of the patient's physical and emotional status
	K7	the psycho-se therapy	exual and body image issues associated with anti-cancer
	K8	•	information which should be made available to the patient that is appropriate to their personal requirements
	K9	the safe oper	ation of equipment used to administer anti-cancer therapy
	K10	how to recog to local polici	nise equipment faults promptly and manage them according es
	K11	equipment lir	nitations and routine maintenance
	K12		oute of the administration of anti-cancer therapy and the nd symptoms associated with inappropriate administration
	K13	the drugs sui route	table for use and those fatal if administered by intrathecal
	K14	the sequenci	ng of intrathecal anti-cancer therapy for children and/or

adults

Assist with the administration of intrathecal anti-cancer therapy

K15	the treatment of	of malignant disease
-----	------------------	----------------------

- K16 the mode of action, the side effects of anti-cancer therapy, how to recognise them and the appropriate treatment regimens
- K17 the normal parameters for routine investigations relating to administering intrathecal anti-cancer therapy
- K18 how to recognise, respond to, manage and prevent hypersensitivity
- K19 the equipment required to undertake the lumbar puncture procedure
- K20 the roles and responsibilities of other team members, associated professionals and agencies in relation to assisting with the administration of intrathecal anti-cancer therapy
- K21 the limits of one's own knowledge and experience and the importance of not operating beyond these
- K22 the importance of clear communication

Assist with the administration of intrathecal anti-cancer therapy

Additional Information

Links to other NOS	There are additional NOS on the Skills for Health website relating to Assessing an individual for anti-cancer therapy, Providing ongoing care and support for individuals during their treatment cycles and Prescribing anti- cancer therapy.
External Links	This standard links with the following dimension within the NHS Knowledge and Skills Framework (October 2004):
	Dimension: HWB7 Interventions and treatments

Assist with the administration of intrathecal anti-cancer therapy

Developed by	Skills for Health
Version number	2
Date approved	[APPROVED]
Indicative review date	2016
Validity	Current
Status	Revised
Originating organisation	Skills for Health
Original URN	CHEM4
Suite	Chemotherapy
Key words	Chemotherapy, anti-cancer therapy, administration, intrathecal, lumbar puncture