

SFHPT34

Promote change through tasks between family and systemic therapy sessions



Overview

This standard shows how the systemic psychotherapist invites the client to work with tasks, experiments and rituals that have evolved as an extension of in-session work. Any task, experiment, or ritual is tailored to the particular client and each individual in the context of their culture, the stage of the work, and their relationship with the therapist and the therapy team. The client needs to be an informed participant in the planning and in the feedback on how the tasks went.

This standard describes therapeutic practice that has been shown to benefit families and other clients engaged in family and systemic therapy (see reference in the additional information section on page 6). To apply this standard, practitioners also need to take account of the multiple problems and complex co-morbidities that clients may bring to therapy. Family and systemic therapy should be offered as part of an explicit and structured approach agreed within the treatment team and with the client and the system.

Users of this standard will need to ensure that practice reflects up to date information and policies. This standard should be understood in the context of the Digest of National Occupational Standards for Psychological Therapies.

SFHPT34

Promote change through tasks between family and systemic therapy sessions

Performance criteria

- You must be able to:*
- P1 develop tasks, experiments or rituals that the client can carry out outside the therapeutic setting and that:
 - P1.1 are relevant to the ideas generated in the session
 - P1.2 are likely to be effective
 - P1.3 are co-evolved with the client and agreed by them
 - P1.4 have a clear intention
 - P1.5 transfer therapeutic work from the session to other settings
 - P1.6 build on experience with previous tasks and their outcomes
 - P1.7 allow space for practice, playfulness, experimenting and hypothetical scenarios that are ethically informed
 - P1.8 have low or manageable risks
 - P1.9 have value in being set even if they are not completed
 - P1.10 involve each individual in a way that matches the intention
 - P2 explain and check that the client understands your rationale for suggesting the tasks
 - P3 explore difficulties you, the team or the client anticipate
 - P4 elicit detailed feedback on carrying out tasks
 - P5 explore non-judgmentally the reasons for the client not carrying out a task and use the understanding gained in future task construction
 - P6 agree and manage between session contact about the tasks
 - P7 adjust the pace and direction of therapy in response to progress in the tasks
 - P8 review the choice of tasks and methods and their impact with your team or colleagues

SFHPT34

Promote change through tasks between family and systemic therapy sessions

Knowledge and understanding

You need to know and understand:

Out of session tasks

- K1 a range of common out of session tasks, their use and the evidence for their effectiveness
- K2 rationales for the use of tasks and techniques for presenting them to the client

Specific systemic techniques

You need to know and understand:

- K3 the theory and use of circular questioning techniques and skills
- K4 the construction of various methods of system mapping
- K5 how to reframe problem descriptions and externalising problems
- K6 how and when to use enactment techniques
- K7 how and when to use problem solving techniques
- K8 how and when to adopt a challenging perspective

Risk

You need to know and understand:

- K9 the assessment of risks to individuals and the risks they pose to others in a range of settings
- K10 current legislation and local guidelines and procedures about child and vulnerable adult safeguarding
- K11 how to balance the risk or safety and opportunity in therapeutic interventions
- K12 ethical issues of valid consent for all members of a system

Systemic principles that inform the therapeutic approach

You need to know and understand:

- K13 the range of contexts in which the client needs to be viewed
- K14 how the contexts manifest and constitute the system of significance
- K15 the personal, family and cultural factors and interactions between those factors that shape the individual
- K16 ways in which people understand themselves and the world around them
- K17 the influence of power relationships and different socio-cultural contexts on the development of meaning, relationships and behaviour for the client and the therapist
- K18 the influence of varied individual accounts of the same event on relationships and understanding in the system
- K19 the influence of recursive cycles of feedback on systems and individuals' narratives, beliefs, emotions, feelings, actions, interactions and relationships

SFHPT34

Promote change through tasks between family and systemic therapy sessions

Systemic approaches that enable therapeutic change

You need to know and understand:

- K20 the role systems can play in psychological problems and health
- K21 how patterns of interaction and relationships within systems contribute to and maintain psychological, social, relational and cultural problems and health
- K22 explanations of how changes in any part of the system may have an impact on the rest of the system
- K23 how members of the system make use of resources that promote resilience and maintain change
- K24 psychological, social, relational and cultural problems that arise from lack of fit between attempted solutions and the current contexts
- K25 how systems develop helpful and unhelpful patterns of interaction and meaning systems and narratives
- K26 how to use the members of the system and the system as a whole as a resource for the promotion and maintenance of change
- K27 how the therapist, colleagues and the broader professional system interact with, and form part of, the system with which they are working
- K28 the role of historical and trans-generational factors, stressful life events and their impact on family functioning in the development and maintenance of psychological disturbance, health and recovery

The therapeutic relationship

You need to know and understand:

- K29 ethical, non-oppressive and anti-discriminatory practices
- K30 how to form and maintain collaborative relationships in age and culturally appropriate ways with everyone in the system
- K31 how to make use of self and relational reflexivity to enhance therapeutic relationships
- K32 the impact of personal and professional narratives on the therapeutic process

Basic principles and rationale of systemic approaches

You need to know and understand:

- K33 the various systemic models and other related concepts and their limitations
- K34 theories of systemic change and clients' theories of change
- K35 the assumptions contained in the various systemic models
- K36 how to develop an account of patterns in relationships in families and wider systems
- K37 family based attachment theories across the life cycle from a systemic perspective

SFHPT34

Promote change through tasks between family and systemic therapy sessions

Additional Information

External links

This standard is derived from research reported in Roth, A., Pilling, S. and Stratton, P (2009) *The competences required to deliver effective Systemic Therapies* Centre for Outcomes Research & Effectiveness (CORE) University College London.

This standard has indicative links with the following dimension within the NHS Knowledge and Skills Framework (October 2004):

Dimension: To be confirmed
Planned Review Date: 2014

SFHPT34

Promote change through tasks between family and systemic therapy sessions

Developed by Skills for Health

Version number 1

Date approved June 2010

Indicative review date June 2012

Validity Current

Status Original

Originating organisation Skills for Health

Original URN PT34

Relevant occupations Health, Public Services and Care; Health and Social Care; Health Professionals; Healthcare and Related Personal Services

Suite Psychological Therapies

Key words Family, systemic, therapy, mental health, psychological therapy psychotherapy, counselling, systems, therapeutic.